FRESHWATER CAST · MONDAY CAST

Monday Cast live · Nov 16–18, 2026

Weather
National Weather Service forecast for Kissimmee–Toho Chain area

Kissimmee–Toho Chain

Florida

Mon Nov 16 – Wed Nov 18, 2026 · Eastern Time · Largemouth

BITE ODDS · THIS CAST

5/10

Fair odds

0 2 4 6 8 10

PRESSURE	STORMS	WIND	SKY / RAIN	BASS STAGE	CROWD
+ Stable pattern	+ No lightning	− Up to 20 mph · unsafe chop	− Rain up to ~74%	+ Fall transition	+ Weekday · lighter traffic

WEEK Early-week setup on this water — highs **74–75°F**, lows **67–68°F**, rain chance up to **~74%**. Story is the wet stretch — bite windows ride the rain timing, not the calendar.

THREE-DAY WEATHER

MONDAY NOV 16

74° F high

LOW	67°F
SKY	Partly Sunny
WIND	NNE 10–15 mph
RAIN	~33%
SUN	6:48 AM / 5:32 PM

Frame: Breeziest day — use ripple on wind-blown banks and points; open-water chop is higher risk.

TUESDAY NOV 17

74° F high

LOW	68°F
SKY	Chance Rain Showers
WIND	NNE 10–15 mph
RAIN	~50%
SUN	6:48 AM / 5:31 PM

Frame: Wet day — fish the front side of the rain; slow down and stay close to cover after it passes.

WEDNESDAY NOV 18

75° F high

LOW	68°F
SKY	Rain Showers Likely
WIND	NNE 15–20 mph
RAIN	~74%
SUN	6:49 AM / 5:31 PM

Frame: Wet day — fish the front side of the rain; slow down and stay close to cover after it passes.

Window: Mon–Wed · Air: NNE · Bite window: dawn + last light

HOW TO FISH THIS WEATHER

MORNING

- Shallow cover, points, creek mouths
- **First light (6:48 AM EST) → ~9 AM**
- Use any ripple as cover

MIDDAY

- Shade lines, docks, deeper edges
- Electronics for bait height first
- Slow down once the sun is overhead

EVENING

- Revisit shallow shade as sun drops
- Topwater if the surface lays down
- Weekday traffic is lighter — work quiet pockets

FALL TRANSITION **Largemouth plan: Follow shad into the backs of creeks and flats 1-10 ft; spinnerbait, squarebill and topwater at a fast pace.**

BIOLOGY

BASS STAGE

Largemouth are in the fall transition — following bait into creeks and onto flats as water cools.

Basis: estimated water ~72°F — 75-day observed air record (NOAA ACIS) lagged for a river (10-day response); no water-temperature gauge on the lake; air record trending falling

NATURAL FORAGE

What's on the menu: No dated forage report for this window turned up at pull. Likely meals on Toho are golden shiners, the lake's classic bass bait, along with shad roaming open water, bluegill and other sunfish around pads, and crawfish and grass shrimp in th

ALSO BITING

Bluegill · shellcracker. Bluegill and redear sunfish hold along pad edges and grass.

PRESSURE

Weekday traffic — lighter than the weekend. Fish early, give ramps and swim areas room.

WATER BOARD — LAKE CHEAT SHEET

FIXED Natural / small-impoundment water — no generation table. Check access rules and level notes with the managing agency before you go.

ITEM	NOTE	SOURCE
Permit / regs	Regs live-link only: FWC freshwater fishing regulations (live).	
Clarity	Clarity unconfirmed — expect stain near inflows after heavy rain.	

ACCESS — BANK / KAYAK / BOAT

BANK

The Kissimmee lakefront on the north shore offers the easiest public bank access, with seawalls, piers, and shoreline near the ramps. Morning, throw a weightless soft plastic or small swimbait along grass edges and near canal openings.

KAYAK

Launch from the Kissimmee lakefront or Southport Park and stay close to shore. Morning is the safest paddling window; be back at the ramp by late morning. Only go out if you can see a clear gap on radar, and stay within a short paddle of your launch.

BOAT

Lake Toho is big and shallow, so the calm morning is a great time to run to offshore grass and hydrilla edges or the shoreline around Makinson Island and Goblets Cove. Start with a topwater or swim jig, then flip thick mats as the sun climbs. Stay near your ramp and fish the closest grass between storms.

LURE BOX

TOP

Hollow-body frog (black / white) over pads and mats. Walking topwater (bone / shad) at first light. Buzzbait along grass lines under storm clouds.

MID

Swim jig with a paddle-tail trailer (green pumpkin / shad). Chatterbait (white / chartreuse) around outside grass. Lipless crankbait over submerged hydrilla.

BOTTOM

Weightless stick worm (watermelon red / junebug). Heavy Texas rig or punch rig for flipping mats. Speed worm or creature bait along grass edges.